Notice of Allowability	Application No. Applicant(s)		
	10/657,362	KILLIAN ET AL.	
	Examiner	Art Unit	
	Minh Nguyen	2816	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed on 6/22/05.			
2. The allowed claim(s) is/are 13-24 and 33-44.			
3. The drawings filed on 12/10/04 are accepted by the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/06)	6. ☐ Interview St Paper No./l	ormal Patent Application (PTO-152) Immary (PTO-413), Mail Date Amendment/Comment	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's 9. □ Other	Statement of Reasons for Allowance	
*			

Application/Control Number: 10/657,362

Art Unit: 2816

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with an attorney of record, Barry Dove, on 6/29/05.

2. The application has been amended as follows:

In claim 13, line 7, "coupled", second occurrence, has been replaced by -- connected --.

In claim 19, line 7, "coupled", second occurrence, has been replaced by -- connected --.

In claim 33, line 10, "coupled" has been replaced by -- connected --.

In claim 40, line 10, "coupled" has been replaced by -- connected --.

In claim 44, line, "electrically coupled" has been replaced by -- connected --.

## **REASONS FOR ALLOWANCE**

3. The following is an examiner's statement of reasons for allowance: Claims 13-24, 33-44 are allowed.

Claims 33-39 are allowed because the prior art of record fails to disclose or suggest the inclusion of a second transistor whose further terminal connects to the further terminal of the

Application/Control Number: 10/657,362

Art Unit: 2816

Ú

fuse and the further terminal of the first transistor as recited in claim 33. The inclusion of this limitation defines patentability over the prior art of record because it defines a distinguished structure of the fuse latch circuitry which is not taught by the prior art of record, alone or in combination. This distinguished structure allows the fuse latch circuitry to be re-interrogated periodically to correct the values stored in the corrupted fuse latch circuitry without interfering with access to the output of the fuse latch.

Claims 13-24 and 40-44 are allowed for the same reason noted in claim 33.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Minh Nguyen whose telephone number is 571-272-1748. The examiner can normally be reached on Monday, Tuesday, Thursday, Friday 7:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent
Application Information Retrieval (PAIR) system. Status information for published applications
may be obtained from either Private PAIR or Public PAIR. Status information for unpublished
applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 2816

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

1/1/05

Minh Nguyen Primary Examiner Art Unit 2816